


8 7 6 5 4 3 2 1




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ANDERSON POWER PRODUCTS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF ANDERSON POWER PRODUCTS IS PROHIBITED.

Copyright 1999

ANDERSON POWER PRODUCTS RESERVES THE RIGHT TO ALTER PRODUCT TYPES, THEIR TECHNICAL DATA, DIMENSION, STYLE AND ACCESSORIES WITHOUT PRIOR NOTIFICATION.



BARREL SIZED FOR #10-14 AWG WIRE



CAT. NO.	PLATING
201G1H	HOT TIN DIP
201G3H	SILVER

DIMENSIONS ARE IN:	INCH [MM]	<i>APPROVALS</i>		ANDERSON POWER PRODUCTS			
UNLESS OTHERWISE STATED		DRAWN	GN		6/30/1999		
TOLERANCES:		CHECKED	DJD		9/19/2000		
DECIMALS (INCH)	DECIMALS (MM)	ANGLES					
.XX ± .02	.X ± .5	±2°	MFG APPRV	CHB	9/18/2000		
SURFACE FINISH:		QC APPRV	UFN	9/20/2000	TITLE CATALOG #201G HIGH DETENT REEL CONTACT FOR POWERPOLES TYPE "F" CRIMP		
MACHINED	128µin [3.2µ]	ENG APPRV	RPO	9/19/2000			
MOLDED	64µin [1.6µ]						
MATERIAL:	COPPER	SIZE	A	DWG NO.	114117S1	REV.	2
FINISH:	SEE TABLE	SCALE	NONE	CADFILE	00982	SHEET	1 OF 1
3rd ANGLE PROJECTION		-CAD GENERATED DRAWING- DO NOT MANUALLY UPDATE DO NOT SCALE					

REV.	DESCRIPTION	APPRV	DATE
2	ECRN-15554 ADDED TABLE WITH 201G3H	TWE	1/21/2014
1	ECRN-14110 REDRAWN	AMS	3/1/07

REVISIONS

8 7 6 5 4 3 2 1