



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ANDERSON POWER PRODUCTS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF ANDERSON POWER PRODUCTS IS PROHIBITED.

Copyright 2005


ANDERSON POWER PRODUCTS RESERVES THE RIGHT TO ALTER PRODUCT TYPES, THEIR TECHNICAL DATA, DIMENSION, STYLE AND ACCESSORIES WITHOUT PRIOR NOTIFICATION.

D
C
B
A


D
C
B
A







MATED LENGTH TO SP FEMALE STRAIGHT WIRE WITHOUT STRAIN RELIEF



MATED LENGTH TO SP FEMALE STRAIGHT WIRE WITH STRAIN RELIEF



MATED LENGTH TO SP FEMALE RIGHT ANGLE WIRE



- NOTES:
 1. BUSBARS TO BE .12[3.0] - .25[6.3] THICK
 2. CONNECTOR KIT COMES WITH HOUSING, BUSBAR CONTACT, M8 NUT AND LOCKWASHER
 3. MATERIALS:
 HOUSING: POLYESTER
 BUSBAR CONTACT: COPPER ALLOY, SILVER PLATE
 HARDWARE: STEEL, ZINC PLATE
 REFER TO THE DATA SHEET FOR COMPLETE SPECIFICATIONS
 4. TIGHTENING TORQUE = 74 IN-LBS [8.4N-M]

2	ECRN-15777	CMS	2/17/2015
1	ECRN-14016 M8 WAS M6	CMS	5/24/06
REV.	DESCRIPTION	APPRV	DATE

REVISIONS

DIMENSIONS ARE IN:	INCH [MM]	APPROVALS	
UNLESS OTHERWISE STATED		DRAWN	CMS 8/10/2005
TOLERANCES:		CHECKED	DJD 8/16/2005
DECIMALS (INCH)	DECIMALS (MM)	ANGLES	
.XX ±.02	.X ±.5	±2°	
SURFACE FINISH:		MFG APPRV	CHB 8/17/2005
MACHINED	128µin [3.2µ]	QC APPRV	JA 8/18/2005
MOLDED	64µin [1.6µ]	ENG APPRV	DAM 8/18/2005
MATERIAL: SEE NOTES			
FINISH:			

ANDERSON POWER PRODUCTS

TITLE

PMHP B MALE SINGLE POLE BUSBAR CONNECTOR

SIZE A DWG NO. 114620S1 REV. 2

3rd ANGLE PROJECTION	-CAD GENERATED DRAWING- DO NOT MANUALLY UPDATE DO NOT SCALE	SCALE NONE	CADFILE 02406	SHEET 1 OF 1
----------------------	---	------------	---------------	--------------